sajj decor®

SPORTS & FITNESS FLOOR SURFACES



2022

www.sajjdecor.com

sajj decor®



OUTDOOR SPORTS FLOOR

www.sajjdecor.com

ACRYLIC SYNTHETIC SPORT FLOOR



Acrylic material: acrylic material is a water impermeable rubber/acrylic polymer composite surface wet – laid at a nominal total thickness of up to 3 mm

APPLICATION:

Basketball
Tennis Court
Multipurpose Sports Floor

APPLIED AREA SUGGESTED:

- CONCRETE
- ASPHALT

sajj decor®

SURFACING SYSTEM APPLICATION PROCUDERE

4 - LAYER STSTEM

1 Primer Applied By Soft Rubber Squeegee.
2 Resurfacer Applied By Stiff Rubber Squeegee.
3 Top Coat Applied.
4 Two Coats Of Line Marking Paint As Per Game Standards.

6 - LAYERS SYSTEM

1 Primer Applied By Soft Rubber Squeegee.
2 Resuracer Applied By Stiff Rubber Squeegee.
3 Two Coat Of Liquid Rubber Applied.
4 Two Coat Of Top Coat Applied Synthetic Paint.
5 Two Coat Of Line Marking Paint As Per Game Standards.

9 - LAYERS SYSTEM

1 Primer Applied By Soft Rubber.
2 Resuracer Applied.
3 Resuracer Applied.
4 Five Coat Of Liquid Rubber Applied.
5 Two Coat Of Top Coat Synthetic Paint.
6 Two Coat Of Line Marking.

PRODUCT UNDER

ITF CLASSIFIED COURT PACE 2 MEDIUM-SLOW

ITF CLASSIFIED COURT PACE 3 MEDIUM

ITF CLASSIFIED COURT PACE 4 MEDIUM-FAST

POLYPROPYLENE TILES (PP TILES)

APPLICATION:
Volleyball Court
Basketball Court

PRODUCT DETAILS:

SPECIFICATIONS

Size : 304.8mm x 304.8mm x 15.5mm I Material : Polypropylene(PP) I 0 0 Temprature : -40 to 80 I Fiaxon 7 point each side (Male & Female) I Recyclable : 100%

APPLICATION AREAS:

I Outdoor Mul-Purpose Sports Court Flooring I Outdoor Floor of Basketball Court I Tennis Court, Volleyball Court I Futsal Court, Badminton Court I Handball Court, and other courts

FEATURES :

I No Maintenance Cost I Safety: Reduce the sprain and strain in sports I Absorbing : Yes & Odourless I Weather: Can be used for all-weather. I Durable: Suspended structure, interlocking floor I Life Span : 10 Years I Compression : Bearable Load 2500N Resistance I Installation : Easy to install, no need adhesive I Color : Multicolor I Environmental protection: 100% recyclable material I High UV Resistant An Aging, 8-10 years warranty



SPORTS TURF

MULTI SPORTS TURF
Cricket, hockey

15mm MULTISPORTS

5500 dtex
33 stitches / 10cm
latex backing
usage: cricket / football / gym / badminton / multisports

FOOT BALL TURF



50mm bellin hero 14
18000 dtex, 14 stitches/ 10cm
Superior C8 Yarn, PU Backing
FIFA QUALITY PRO
Passes 36000 Lisport XL eyeles
Roll size: 30m x 4m
2m light green + 2m dark green

Turf Adhesive

MAPEI Ultrabond Turf - Pu 2k (Professional, 2 - Component, Fast-set Urethane Turf Seam Adhesive)
Specification:
Consistency comp. A: thick paste: comp. B: fluid liquid.
Color: Green
Mixing ratio: comp. A:comp. B = 90 : 10. Consumption: 0.4-0.5 kg per meter of 40 cm wide jointing strip (10 kg of adhesive for 20-25 metres of jointing strip).
Packaging Style : 15 kg bucket (13.5 kg PU + 1.5 kg Hardener)

Ultrabond Turf Tape
Size - 12 inch width
Packing qty - 300 rmt / roll

SBR Rubber Granules
Size - 1-4 mm
Packing qty - 40 to 50 kg / bag

Silica Sand Granules
Size - 1-4 mm
Packing qty - 40 to 50 kg / bag

sajj decor®

INSTALLATION STEP

Step 1

Step 2

Step 3

Step 4



Step 5

Step 6

Step 7

Step 8

Step 9

Step 10

Step 11

Step 12

Step 13

Step 14

Step 15

Step 16

Step 17



Infill's granules comprise of silica sand (bottom) and SBR rubber granules (top) Turf installation

JOGGING TRACK

1. EPDM JOGGING TRACK

Epdm (ethelen propelen dia monomer) rubber granual + SBR (recycled rubber crumb) SBR Rubber base layer are made with tyre recycled crumb with mixed with polyurethene PU binder 15% in base layer id for cushion and top layer EPDM granuales which is made with ETHELENE PROPYLENE DIE MONOMER with color pigment granual 1-4mm with non toxic property which is mixed with polyurether (pu) binder used20%

Standard thickness :- 15mm (9mm sbr + 6mm epdm)



EPDM JOGGING TRACK



Material Components :

Rubber Buffing
(1-4 mm)

EPDM Rubber Granules
(1-4 mm)

Polyurethane (PU)
Binder

APPLICATION:
Jogging Track
Walking Track
Running Track

sajj decor®

PU JOGGING TRACK

(ONE COMPONENT SPRAY COATING FOR UV RESISTANCE)

EPDM (ethelen propelen dia monomer) rubber granual + SBR (recycled rubber crumb)
EPDM synthetic jogging track size 15 mm (13 mm sbr +2 mm) polyurethene sprey two coats sbr rubber base layer are made with tyre recylcled crumb which mixed with polyurethene binder 15% in base layer id for cushion and top layer polyurethene based ONE COMPONENT SPRY coating Two layer it feature excellent bonding to PUR and epdm sprey rubber granules field surfacing with 0.8 to 1.2 mm epdm graual mixure and mix ratio 60% polyurether epdm 40%Granule

APPLICATION IMAGE OF EPDM JOGGING TRACK STAGE WISE

Step 1
SBR Lying

Step 2
SBR layer compet

ONE COMPONENT SRAY COATING
(FOR UV RESISTANCE MATERIAL)

Step 3
- EPDM Lying

Final Stage

OUTDOOR CHILDREN PLAY AREA FLOOR / OUTDOOR GYM

Epdm (ethelen propelen dia monomer) rubber granual + SBR
(recycled rubber crumb)
Epdm with color pigment granual 1-4 mm with non toxic property which is mixed with POLYURETHEN(PU) binder 20%

THICKNESS AVAILABLE :-20-25-35-40 MM
EPDM STANDERD THICKNESS - 6 MM

Structure of epdm play area



COLOR CHART OF EPDM GRANULES

sajj decor®

COLOR CHART OF EPDM

EPDM RUBBER FLOORING INSTALLATION

Material Components :

Rubber Buffing
(1-4 mm)

EPDM Rubber Granules
(1-4 mm)

Polyurethane (PU)
Binder

Installation Steps:

Step 1 : Rubber Buffing layer 10 mm - 40 mm thickness . With mixture of buffing and PU binder. After curing followed by chalk marking as per design .

Step 2 : EPDM granule layer of 4 mm - 6 mm thickness . With mixture of EPDM rubber granule and PU binder. Fill in the mixture as per the larger colour area.

Step 3 : Cutting EPDM layer for the finish lineng design using cutter. Specifically for the small coloured pattern areas.

Step 4 : After complete installation EPDM rubber floor should be left with the curing time of 3 - 4 days before used. With strictly board sign near play area followed by Do's and Dont's.

OUT DOOR PLAY AREA WALL

OUT DOOR EPDM GYM FLOOR

sajj decor®



INDOOR SPORT FLOOR

www.sajjdecor.com

BADMINTON COURT

Material - Synthetic PVC Vinyl Flooring
Thickness Available 4.5 mm & 6.5 mm

Professional Badminton Sports Flooring







sajj decor®

INDOOR SQUASH COURT





MATERIAL :- CANADIAN MAPLE WOOD SPORTS FLOORING
TECHNICAL SPECIFICATION :-
AREA OF SQUASH COURT :- 1065 SQFT
SQUASH COURT BACK WALL :- 21*17

MATERIAL SPECTION

1. TOP BOARD :-
CANADIAN MAPLE WOOD SPORTS FLOOR ING
THIKNESS : 21 MM WIDTH- 55 TO 85 MM WIDE AND LENGTH RANDOM TERMITE TREATED AND WATER RESISTANCE LACQUER.

2. THE UNDER FRAM :-
PINE WOOD RUNNER 70MM*45 MM , TREATED WITH ANTITERMITE SOLUTION AND FIXED ON THE BOTTOM SIDE WITH 19MM THICK EPDM AIR CUSHIONED PADS, STAPLES THROUGH THE TWO WINGS AT 350 MM * 350 MM INSTALLATION.

3. POLISIHING AND FINISHING :-
BONA OIL APPROVE WATER BASE PU LACQUER .

SQUASH COURT WALL PAINTING

MATERIAL SPECTION

KABADDI ARENA

ARENA SIZE
13m x 10m

TOTAL MATS REQUIRED
130 Mats

TECHNICAL SPECIFICATIONS

SIZE
1m x 1m

QUALITY
Eco, Pro

THICKNESS
35mm

COLOR AVAILABLE
Blue & Red

RAW MATERIAL
JSR, EVA, REVA - R

DENSITY
125 - 140Kg/Cubic meter

HARDNESS
30 - 35 Degree Shore A

TEXTURE
Rhombus / Box Design

SUPER EASY TO CLEAN
Wipe clean with a hot, damp towel

NON - SLIP SURFACE
Good floor grip

DURABILITY
It is very durable against external impact for using the mats compared to normal thin mats

CONVENIENCE
Whenver, whoever, it makes you construct taekondo dojangs's floor easily. (Puzzle Mat Type)

WATER RESISTANT
Oils and fuels splash resistance

EASY TO INSTALLATION
Easy to install / uninstall / interlocking

ENVIRONMENT
The improvement of concentration for the trainees who feel like in the real stadium

SAFETY
It is very helpful for the trainees to prevent their injuries while their training



INSTALLATION IMAGE KABADDI MATS

KABADDI MATS

INDOOR CHILDREN PLAY AREA FLOORING

RECOMMENDED EQUIPMENTS



Puzzle Mats

Kids Flooring

Kids Yoga Mat

Kids Outdoor Flooring



PVC VINYL FLOOR

CUSHION PVC VINYL FLOOR

5331141
PLAYFUL MULTICOLOR



5331227
BRICK MULTICOLOR

5331205
GRIBOUILLE

sajj decor®

INDOOR GYM FLOORING

GYM FLOORING

Gyms are still the most popular way that people get their exercise routines in. Gyms offer today a multitude of classes, weightlifting areas, cardiovascular areas which can make the picking of flooring more difficult than in the past. Gone are the days of just weight lifting machines. Sajj Decor can help you pick the right flooring for the right area. In todays gym, one can have following types of areas i.e GYM workout, CrossFit, Functional marking, Free weight zone, Sted weight, aerobics, cardio zone, weight lifting, strength area, spinning studio, yoga & recreation, Zumba dance.

RUBBER GYM TILES



Solid Plain Rubber GYM Tiles

Interlock GYM Tiles

GYM RUBBER TILES

Thickness -10 mm and 22 mm High Impact

- Made from shredded Premium Recycled rubber
- Strong and durable quality product
- Extremely lightweight and tear resistant
- Anti-Slip ,foot grip and scratch resistant
- Highly impact-resistant
- Soft and comfortable
- Easy installation
- Economical and low maintenance
- Fire resistance
- Standard dimensions and colours
- Standard size : 500mm x 500mm / tile
- Weight : 10mm - 2.5Kg / 22mm - 5.5kg

EPDM Granuals GYM Tiles





Rubber EPDM Roll



Customized Design Work on Rubber Roll

GYM RUBBER ROLL

Thickness - 3 mm - 10 mm Dynamic Impact

- Great for large spaces
- Cost efficient
- Seamless joints
- Requires less cutting than tiles, especially custom cut rolls
- Durable resilient rubber material
- Use for home gym floors
- Commercial gym rubber under exercise equipment
- Low thickness rubber flooring option
- Non slip
- Wide range of thicknesses available Standard size :1-1.2 M x 10 mm /roll

sajj decor®

PVC VINYL FLOOR

GYM VINYL FLOORING

Thickness - 4.5 mm & 6 mm
Functional Impact

- Vibration free with foam base
- Impact resistant and comfortable
- Good load capacity
- Temper free PU - laminated
- Strong and durable
- Weather-resistant design
- 100% PVC certified material
- Best for Fitness and Sports surface
- Standard size : 2 M x 15 mm /roll


ACE 092 BLUE

AR 051

ACE 094 GREEN

ACE 091 CHERRY RED

ELITE GREEN - 084

ACE 093 ORANGE

AR 054

ACE 095 NEO SILVER

ELITE RED- 081

ELITE WOOD - 086

ELITE BLUE - 082

ELITE ORANGE - 083

ELITE WOOD - 085A

COLOR CHART PVC VINYL FLOOR

sajj decor®

Ahmedabad:
Gopal Estate, Nr. Sanatan Cross Road, Opp. Bharat Petrol Pump,
Nr. Ratna Auto-hub Complex,
Sarkhej Changodar Road, Ahmadabad-382210
M.: +91 72858 51711
Email: ahmedabad@sajjdecor.com

Rajkot:
402, Decora Square, Opp. Sadhu Vasvani School,
Sadhu Vasvani Road, Rajkot-360005
M.: +91 9687641711
Email: rajkot@sajjdecor.com

Surat:
1st Floor, Mavani Point, Rander Road,
Nr. Choksi Vadi, Adajan, Surat-395009
M.: +91 9727781711
Email: infosurat@sajjdecor.com

Follow us on:

Web: www.sajjdecor.com
Customer Care: +91 9328711711